



**RAMAKRISHNA MISSION  
VIVEKANANDA CENTENARY COLLEGE**

(An Autonomous College under WBSU)  
P.O. RAHARA, KOLKATA-700118  
WEST BENGAL, INDIA

Accredited by NAAC with Grade-A  
College With Potential for Excellence (CPE)  
DST-SIRO Recognition  
DST-FIST Recognition  
DBT-STAR College Recognition

Ph: 033-2568-2049  
Email: [rkmvcollege@rkmvccrahara.org](mailto:rkmvcollege@rkmvccrahara.org)  
Website: [rkmvccrahara.org](http://rkmvccrahara.org)

*“Swami Vivekananda Center for Multidisciplinary Research in Basic Science and Social Sciences”*

**Names of the Candidates for the Ph.D Registration, 2017**

SL. NO.	Name	Date of Registration	Subject	Title of the Thesis	Name of the Supervisor	Registration No.
<b>Botany</b>						
1	Tarun Halder	07-02-2017	Botany	Application of hairy root culture for production of secondary metabolites in plant species of solanaceae	Dr. Biswajit Ghosh	A01-1112-314-005-2017 of 2017-2018
2	Md. Mabud Alam	07-02-2017	Botany	Characterization, selection and improvement of elite genotype of <i>Momordica charantia</i> L.	Dr. Biswajit Ghosh	A01-1142-314-001-2017 of 2017-2018
3	Anupam Das	07-02-2017	Botany	Effect of abiotic elicitors on modulation of capsaicin synthesis in <i>Capsicum</i> L.	Dr. Biswajit Ghosh	A01-1152-314-002-2017 of 2017-2018

*Su. J. Das*  
Principal

Ramakrishna Mission  
Vivekananda Centenary College  
Rahara, Kolkata-700 118

4	DipanjanaPodder	07-02-2017	Botany	Evaluation of entomopathogenic fungi isolated from different natural sources against <i>Anopheles spp.</i> , the vector of malaria, as biocontrol agents	Dr. Swapan Kr. Ghosh	A01-1112-314-004-2017 of 2017-2018
5	Sabyasachi Mukherjee	07-02-2017	Botany	Isolation, characterization of different strains of <i>Beauveria bassiana</i> (Bals. - Criv.) Vuill. from different natural sources and their application as biocontrol agents against <i>Anopheles spp.</i> , the vector of malaria.	Dr. Swapan Kr. Ghosh	A01-1112-314-003-2017 of 2017-2018

  
 Principal  
 Ramakrishna Mission  
 Vivekananda Centenary College  
 Rahara, Kolkata-700 118